Line Item	Solicitation	Section	Industry Comment	Government Reply
1	F&O	Foundation Analysis, Para 6.2.1	Foundation Analysis, Para 6.2.1 states "All exterior footingsshould be founded a minimum of 91cm (3.0 feet) below final exterior grade to provide adequate frost protection. Normal practice in Denver is 4 feet to the bottom of the footing. Is the 91cm (3.0 feet) measured from the bottom of the footing?	The 91 cm (3.0 feet) requirement as stated in the Foundation Analysis shall remain. This shall be measured from the bottom of the footing to the grade level.
2	F&O	Sect L, Para 3.1.1.1.2.	RFP, Volume II Paragraph 3.1.1.1.2 requires to "Indicate the number of design-build housing projects with minimum 100 units that were construction complete within the last three (3) years (from the date of RFP)". If we have more than 10 projects (5 projects requiring detailed narrative and the additional 5 demonstrating the existence of 10 design build housing projects) in our 3 year history, is the requirement to simply state the number of projects over the 10 we required to describe or the RFP requires a tabulated list (Name, Location, Scope, etc) of all housing projects delivered within the past three years to be submitted as part of the response. If a list is required, can the list be only of representative projects since our team performed over 500 design build housing projects within the past 3 years. How many of the projects listed (outside of the five narrated projects) have to be part of the past performance submittal?	be aware that more recent and relevant projects are desired. Please be aware of the Volume II 70-page limit. Question #2 . Please refer to Section L, Para 4.2 for the total number of past performance efforts that must be submitted for each Team and its members. It is up to each offeror to determine which projects to include provided they do not exceed the maximum number of submittals based on their team role.

Line Item	Solicitation	Section	Industry Comment	Government Reply
3			I am a bit confused about the above-referenced offering. Is this a multiple award, with some number of contracts set aside for 8(a)s? If so, how many are set aside? Also, does the \$50 million excess bonding capacity requirement apply to 8(a)s? To elaborate on the questions outlined below, if an 8(a) prime teams up with a large firm to bid this project, can the \$50 million excess bonding capacity derive from the team as a whole	There are two solicitations; F41624-03-R-8006 for Full & Open competition and F41624-03-R-8034 for 8(a) Set-Aside competition. The 8(a) Set-Aside program ceiling is \$400 million and the excess bonding requirement is \$50 million. The Government anticipates 4 or more awards for the 8(a) Set-Aside solicitation and 8 or more for the Full and Open solicitation. The contractual relationship is with the prime, it is unlikely that a co-bonding situation could exist, unless the offeror is referring to a JV type relationship, in which case, this would not be an issue, since a JV is standalone entity. We would need to see the bond in order to evaluate.
4		Sect L, Para 3.1.1.1.2.		

10 Apr 03

Line Item	Solicitation	Section	Industry Comment	Government Reply
5			I am going through all of the new information included with Amendment 0001. The "Attachment No. 1 - Final Foundation Analysis, XXXX, Colorado" has me a little confused. This appears to be for a commercial project. Does this information replace the Foundation Analysis for the 84 housing units?	Yes. You are correct. Attachment No. 1 - Final Foundation Analysis, XXXX, Colorado" replaces the previous one.
6		Sect L, Para 1.1.2.	Paragraph 1.1.2 in Section L indicates that all members of a teaming entity shall be distinctive. This paragraph also states that a Joint Venture is an entity onto itself. As such, it appears it would be acceptable for a firm to participate on one team as a subcontractor and on another as a member of a Joint Venture. Is this a valid interpretation of the RFP?	
7			We believe this is still in error and should be further corrected to read: " within the interior faces of exterior walls and partywalls of living units with the following areas of exclusion:" This would be consistent with, and use the same definition as in the referenced AFFHG Figure 4.1. If left as is, the measurement to the outside faces would actually be a gross square foot measurement and would add approximately 50 or more SF to an already "tight" design.	The Sample SOW will be amended to reflect interior faces of exterior- and party walls.
			Please amend the language in the paragraph to agree with the revised title, and intention to use net area, not gross area.	

Line Item	Solicitation	Section	Industry Comment	Government Reply
8		Sect L, Para 2.4.6.5.	Section 2.4.6.5 of section L requests original manufacturer's literature (catalog cuts) for various elements of the product. Are printed product descriptions from manufacturer's websites acceptable as original literature or must we submit only printed copies from the manufacturer?	Web obtained literature/prices is acceptable provided text and format of the literature is complete and readable (i.e. text should not be truncated on the right side of a sheet of paper). Please indicate discrepancies between web-only prices/specials vs. regular contractors' incurred costs.
9			Just wanted to ensure you included the [our company] comment regarding the concern that the drawings of the duplexes will convert to $1/8$ " = 1 foot when they reduce to fit the 17" X 22" sheets	The Governments that the scale of a drawing on 30 x 42 inch sheet will be different when outputted on a 17 x 22 inch sheet. A graphical scale shall be provided on each sheet to account for changes in scale.
10		Sect L, Para 1.2.4.	Section L, para 1.2.4 directs offerors to "bind each Volume separately within a single, loose-leaf 3-ring binder." Section L, para 2.4.6.2 specifies the drawings that are required to evaluate Section L, para 3.1.2, Design Concepts Inclusive of Technical Solutions. Required drawings include Typical Unit Layout, Composite Floor Plan, Exterior Elevations, Interior Elevations, Roofing Plan and Building Sections. In addition, offerors are required to submit a Colored Sketch (Section L.2.4.6.6) and Colored Boards (Section L.2.4.6.7). Please confirm that AFCEE requires offerors to bind the drawings, colored sketch and colored boards into 3-ring, loose- leaf binders. If not, please provide guidance on how AFCEE would like those materials incorporated into our proposal.	be included in a 3 ring binder. Drawings shall be submitted in accordance with Section L, Para 2.4.6 of the RFP. A color board shall be submitted with "sufficient clarity" (Section L, Para 2.4.6.7). A colored sketch shall be submitted in accordance with Section L, Para 2.4.6.6.

	Questions and Answers				
Line Item	Solicitation	Section	Industry Comment	Government Reply	
		Sect L, Attachment L-2	Attachment L-2, Paragraph 1.0, The third sentence in this	The RFP will be amended to incorporate the	
11		Sect L, Attachment L Z	paragraph indicates that: "Unless otherwise approved by the CO in writing, the design of architectural, structural, electrical, civil or other engineering features of the work specified in individual Task Orders shall be accomplished, reviewed, and approved by registered architects or engineers." (emphasis added). A literal interpretation of this requirement would mean that all members of design teams would have to be registered architects or engineers. It is almost universal industry practice to have a registered architect or engineer in responsible charge of design features for each discipline, but much of the work is normally accomplished by young engineers and technicians working under the leadership of the registered individual. A requirement that all work must be "accomplished" by registered architects and engineers would substantially increase the cost of designs to the government. We suggest that the word "accomplished" be changed to "accomplished under the direction of".	suggested language.	
12			Please refer to checked areas in attachment. 12.8.5 STRUCTURAL FRAMING - Wood may be any grade and species listed in the Uniform Building Code which satisfy the structural requirements of the project. Engineered lumber complies with the UBC. One could argue all wood has been previously graded and of a particular species prior to being engineered lumber. Nevertheless the UBC allows for engineered lumber.	This RFP understands "engineered lumber" per the UBC (and known as "wood structural panel"), to include OSB, wood "I" joists and laminated veneer lumber. While there may be room for interpretation, these are the only products we consider to be "engineered lumber". Per our previous response, no "engineered lumber" may be used in the design. Para 11.5.5.1.1 excludes use of particle board as an underlaymetn. Para 12.8.9 does allow for the use of pre-engineered roof and floor trusses and the use of wood/steel open web trusses.	
13			Is there any chance that this project will be postponed?	No	

Line Item	Solicitation	Section	Industry Comment	Government Reply
14			• •	The Sample SOW will be amended to reflect interior faces of exterior and party walls.
15			the Secretary of the Air Force determines that the increase is in the best interest of the government (1) to permit award of a turnkey construction contract to the contractor offering the most satisfaction". Answer to Question 12 from the Per-Proposal conference states "Note b to Figure 4.1 of the AFFHG will apply". Has the Secretary of the Air Force determined that the increase is in the best interest	Secretary of the Air Force has determined that the increase is in the best of the Government. However, The proposer shall demonstrate that there is a tangible benefit for the increased net

Line Item	Solicitation	Section	Industry Comment	Government Reply
16			Section L, para 2.4.6.4 requires offerors to provide Outline Specifications, which are to be included in Mission Capability, Volume II. Section L, para 1.2.2, Table 1.2.2, restricts the page count for Volume II to 70 pages. We have compiled our outline specifications, which totals approximately 100 pages. Section L, para 2.4.6 excludes many elements of the technical proposal from the page count limitations shown on Table 1.2.2, however, not the outline specifications. May offerors exclude the outline specifications from the page count? If not, we believe it will be impossible for offerors to meet simultaneously the requirements of Section L, para 2.4.6.4 and the page restrictions in Table 1.2.2.	from the page count. Please note that supporting manufacturer's data is excluded from the Vol II
17			Volume III, Section L, para 4.0, requires offerors to submit past performance information, including Past Performance Documents (Attachment L-5). In addition Section L, para 4.4 requires offerors to "submit information in accordance with Section L, paragraph 3.1.1.2." It appears that the information in Attachment L-5 essentially repeats information required in Section L, para 3.1.1.2, including an explanation of why the Attachment L-5 project is relevant to DBP03. In order to be responsive to AFCEE's requirements in Section 4.4, must offerors repeat the information presented in Section L, para 3.1.1.2, or would it be sufficient to essentially address the requirements of 3.1.1.2 in the Attachment L-5 documents?	Attachment L-5 and Para 3.1.1.1.2 information

Line Item	Solicitation	Section	Industry Comment	Government Reply
18			that a M-P agreement be approved by the SBA prior to the	Mentor-Protege Program, the Mentor-Protégé agreement must be signed and approved prior to submission of offeror as a JV entity. The JV agreement may be submitted and pending approval during proposal submission, but the JV agreement must be approved prior to contract award. There is no standard worksheet.
20			Are the net sf exclusions listed under the revised sow section 5.2.1.1 the ONLY allowable exclusions from net sf, or may we, as outlined in figure 4.1 of the affhg, also exclude utility room, laundry room, interior bulk storage, washer/dryer, furnace/boiler/heater, stairway and landing, under stair, and unfinished attic sf from the total net sf figure?	

Line Item	Solicitation	Section	Industry Comment	Government Reply
21			4.2 Past Performance Information: Does the government mean "50% complete" vice "50% construction complete"? To assert the latter, would potentially exclude for the purposes of assessing past performance of a firm, any projects that were not specifically construction related. For instance, completion of a community development master plan is highly relevant to the requirements of this solicitation. Whether constructed or not, the effort should qualify as valid past performance project. Similarly, a working drawing design package for a military housing estate that is 100% complete, but construction is less than 50% complete, would still be a highly relevant project for the architect that performed the design, correct?	complete."

Line Item	Solicitation	Section	Industry Comment	Government Reply
		Sect L, Attachment L-6	Civan the global nature of this programment international	Coo DED Clause 252 225 7041
22		Sect L, Attacriment L-6	Given the global nature of this procurement, international customers will be asked to complete L-6s for reference projects. These L-6s may be completed in a foreign language. How would AFCEE like to approach this?	See RFP Clause 252.225-7041
23		Sect L, Attachment L-6		A single L-6 can be sent to a customer point of contact provided it references both solicitations and each team.
24		Sect L, Para 5.4.		Rates are not required unless they match the requested categories in the RFP, Section J, Attachment 4.

Line Item	Solicitation	Section	Industry Comment	Government Reply
25			contractor clients interested in the captioned RFP. It may be too late at this point to get any sort of clarification but	amount for the F&O Solicitation is \$80M and \$30M for the 8(a) solicitation.

Line Item	Solicitation	Section	Industry Comment	Government Reply
26		Sect L, Para 2.4.6.	stipulated in Table 1.2.2. The drawings, list of deviations and exceptions, table of contents, cover letter, glossary of terms, color sketch, color boards, product manufacturer's literature, and energy calculation sheets exceeding established minimums will be excluded from the page count shown in Table 1.2.2. Para L-3.1.3.3, Small Business and Small Disadvantaged Business Utilization, states: Large business offerors shall submit a Subcontracting Plan as a part of Volume II. Para L-3.1.3.4 states: Small business offerors (as defined in FAR Part 19, as supplemented) are not required to submit a Subcontracting Plan. As we interpret these requirements, the large business subcontracting plan is NOT excluded from the counted pages in Volume. A subcontracting plan that complies with FAR Part 19 with the requested addenda runs between 15 and 20 pages and significantly impact our ability to fully demonstrate our technical qualifications, our sample problem design concepts with supporting outline specifications and our man	
26 (continued)			Can the subcontracting plan be excluded from the 70 page limitation for Volume II OR relocated to Volume 1, Contract Documentation?	

10 Apr 03 12 of 13

Line Item	Solicitation	Section	Industry Comment	Government Reply
27			Department of Defense and EPA. The DBP03 team is interested in only SBA - MP program agreements."	The JV agreement is an option of the 8(a) firm. The benefit to SBA-MP/JV is that the 8(a) firm can bring in a large prime as his partner w/o penalty of affiliation. An 8(a) firm can also propose as a prime/subcontractor relationship as a business decision.
28		Sect L, Para 3.1.3.6	L-16 Para 3.1.3.6 Financial Capability (Prime and first-tier) We have no JV-members in our "entity" and thus our Teaming Partners (A&Es & some Commercial Builders) will be subcontractors to X Company. Also, X Company would provide the "bonding". Question: Do we need to submit Financial data on our A&Es & Commercial Builders?	The information required under 3.1.3.6 is required to be sumitted with your proposal only for the prime. Please note: Pre award surveys may be requested on all critical teaming members which will include financial capability.
29	F&O	Sample SOW, Ch1, Para 14.0.	Section 14.0 Equipment, lists several pieces of equipment that is intended to be contractor furnished and contractor installed including: garbage disposers, dishwashers, water heaters, refrigerators, and ranges. The AFFHG indicates that the items listed above plus microwave ovens, clothes washers, and clothes dryers are to be provided. Are we only to provide the equipment listed in section 14.0?	In addition to the items listed in Paragaraph 14.0, built-in mircrowave ovens shall be provided. Additional Informaton since the last posted Question and Answers: The Sample Task SOW will be amended to include microwave ovens.